

In the article “Impact of a research-action on vaccination indicators in the state of Minas Gerais, Brazil”, DOI <https://doi.org/10.11606/s1518-8787.2024058005484>, published on the Revista de Saúde Pública. 2024;58:09, RSP corrects:

### Affiliation (page 1):

Where it reads:

“ Secretária de Estado da Saúde de Minas Gerais,

It should read:

“ Secretaria de Estado da Saúde de Minas Gerais.

### Table 2 (page 6):

In the column Year 2021, in the lines Very low, Low and medium, and High and very high, where it reads:

**Table 2.** Dropout rate, homogeneity of vaccination coverage, and risk rating for the transmission of vaccine-preventable diseases before and after the intervention of the research-action project in priority municipalities, Minas Gerais, 2021–2022.

Variable	Year		p-value
	2021 n (%)	2022 n (%)	
HVC (%)			0.022
Adequate ( $\geq 75\%$ to $\leq 100\%$ )	41 (19.34)	67 (31.60)	
Low ( $\geq 50\%$ to $< 75\%$ )	36 (16.98)	34 (16.04)	
Very low ( $\geq 0\%$ to $< 50\%$ )	135 (63.68)	111 (52.36)	
DR (%)			
Rotavirus oral vaccine			< 0.001
Low ( $< 5\%$ )	142 (66.98)	175 (82.55)	
Medium ( $\geq 5\%$ to $\leq 10\%$ )	36 (16.98)	23 (10.85)	
High ( $> 10\%$ )	34 (16.04)	14 (6.60)	
Pneumococcal disease vaccine			0.135
Low ( $< 5\%$ )	144 (67.92)	158 (74.53)	
Medium ( $\geq 5\%$ to $\leq 10\%$ )	33 (15.57)	30 (14.15)	
High ( $> 10\%$ )	35 (16.51)	24 (11.32)	
Pentavalent and hexavalent vaccine			0.502
Low ( $< 5\%$ )	136 (64.15)	129 (60.85)	
Medium ( $\geq 5\%$ to $\leq 10\%$ )	29 (13.68)	39 (18.40)	
High ( $> 10\%$ )	47 (22.17)	44 (20.75)	
Polio vaccine			0.921
Low ( $< 5\%$ )	128 (60.38)	129 (60.85)	
Medium ( $\geq 5\%$ to $\leq 10\%$ )	32 (15.09)	37 (17.45)	
High ( $> 10\%$ )	52 (24.53)	46 (21.70)	
Risk rating			0.039
Very low		31 (14.62)	
Low and medium		36 (16.98)	
High and very high		145 (68.40)	

n = number of municipalities; DR: dropout rate; HVC: homogeneity of vaccination coverage.

**Copyright:** This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided that the original author and source are credited.



It should read:

**Table 2.** Dropout rate, homogeneity of vaccination coverage, and risk rating for the transmission of vaccine-preventable diseases before and after the intervention of the research-action project in priority municipalities, Minas Gerais, 2021–2022.

Variable	Year		p-value
	2021	2022	
	n (%)	n (%)	
HVC (%)			0.022
Adequate ( $\geq 75\%$ to $\leq 100\%$ )	41 (19.34)	67 (31.60)	
Low ( $\geq 50\%$ to $< 75\%$ )	36 (16.98)	34 (16.04)	
Very low ( $\geq 0\%$ to $< 50\%$ )	135 (63.68)	111 (52.36)	
DR (%)			
Rotavirus oral vaccine			$< 0.001$
Low ( $< 5\%$ )	142 (66.98)	175 (82.55)	
Medium ( $\geq 5\%$ to $\leq 10\%$ )	36 (16.98)	23 (10.85)	
High ( $> 10\%$ )	34 (16.04)	14 (6.60)	
Pneumococcal disease vaccine			0.135
Low ( $< 5\%$ )	144 (67.92)	158 (74.53)	
Medium ( $\geq 5\%$ to $\leq 10\%$ )	33 (15.57)	30 (14.15)	
High ( $> 10\%$ )	35 (16.51)	24 (11.32)	
Pentavalent and hexavalent vaccine			0.502
Low ( $< 5\%$ )	136 (64.15)	129 (60.85)	
Medium ( $\geq 5\%$ to $\leq 10\%$ )	29 (13.68)	39 (18.40)	
High ( $> 10\%$ )	47 (22.17)	44 (20.75)	
Polio vaccine			0.921
Low ( $< 5\%$ )	128 (60.38)	129 (60.85)	
Medium ( $\geq 5\%$ to $\leq 10\%$ )	32 (15.09)	37 (17.45)	
High ( $> 10\%$ )	52 (24.53)	46 (21.70)	
Risk rating			0.039
Very low	19 (8.96)	31 (14.62)	
Low and medium	22 (10.38)	36 (16.98)	
High and very high	171 (80.66)	145 (68.40)	

n = number of municipalities; DR: dropout rate; HVC: homogeneity of vaccination coverage.